

**Motorcraft****Motorcraft® Engine Antifreeze/Coolants - Usage Chart
(Model Years 2018 and forward)**

Vehicle	Model Year		
	2018	2019	2020 and forward
FORD			
Bronco / Bronco Sport	N/A	N/A	DY
C-MAX Hybrid	DY / O	N/A	N/A
Econoline (E-Series)	DY / O	DY / O (prior to 7/16/18) DY (from 7/16/18)	DY
EcoSport	DY / O	DY / O	DY / O
Edge	DY / O	DY / O (prior to 7/8/19) DY (from 7/8/19)	DY
Escape (including Hybrid)	DY / O	DY / O	DY / O (prior to 1/2/20) DY (from 1/2/20)
Expedition	DY / O (prior to 7/9/18) DY (from 7/9/18)	DY	DY
Explorer (including Hybrid)	DY / O	DY / O	DY
F-150 (including Hybrid and Raptor)	DY / O	DY / O (prior to 1/1/19) DY (from 1/1/19)	DY
F-250 - F-550	DY / O (prior to 7/9/18) DY (from 7/9/18)	DY / O (prior to 7/9/18) DY (from 7/9/18)	DY
F-650 - F-750	DY / O	DY / O (prior to 7/16/18) DY (from 7/16/18)	DY
Fiesta	DY / O	DY / O	N/A
Flex	DY / O	DY / O (prior to 7/8/19) DY (from 7/8/19)	N/A
Focus / Focus Electric	DY / O	N/A	N/A
Fusion (including Hybrid)	DY / O	DY / O	DY / O (prior to 1/6/20) DY (from 1/6/20)
GT	DY / O	DY / O	DY / O (prior to 2/20/20) DY (from 2/20/20)
Motorhome F-53 / F-59	DY / O	DY / O	DY
Mustang (including Mach-E, Shelby GT350 and Shelby GT 500)	DY / O	DY / O	DY / O (prior to 1/2/20) DY (from 1/2/20)
Ranger	N/A	DY / O (prior to 7/8/19) DY (from 7/8/19)	DY
Taurus	DY / O	DY / O	N/A
Transit	DY / O	DY / O (prior to 1/1/19) DY (from 1/1/19)	DY
Transit Connect	DY / O	DY / O	DY / O
All other vehicles not otherwise noted	N/A	N/A	DY
LINCOLN			
Aviator (including Hybrid)	N/A	N/A	DY
Continental	DY / O	DY / O	DY / O (prior to 1/2/20) DY (from 1/2/20)
Corsair (including Hybrid)	N/A	N/A	DY / O (prior to 1/2/20) DY (from 1/2/20)
MKC	DY / O	DY / O	N/A
MKT	DY / O	DY / O (prior to 7/8/19) DY (from 7/8/19)	N/A
MKX	DY / O	N/A	N/A
MKZ (including Hybrid)	DY / O	DY / O	DY / O (prior to 1/6/20) DY (from 1/6/20)
Nautilus	N/A	DY / O (prior to 7/8/19) DY (from 7/8/19)	DY
Navigator	DY / O (prior to 7/9/18) DY (from 7/9/18)	DY	DY
All other vehicles not otherwise noted	N/A	N/A	DY

Notes:

The engine antifreeze/coolant usage noted in the chart above applies to all engine types (e.g., gasoline and diesel) available for a particular vehicle.

DY / O = Either yellow-colored engine coolant approved to Ford specification WSS-M97B57-A1 or WSS-M97B57-A2 (Motorcraft® Yellow Antifreeze/Coolant), orange-colored engine coolant approved to Ford specification WSS-M97B44-D or WSS-M97B44-D2 (Motorcraft® Orange Antifreeze/Coolant), or a combination of both engine coolants

DY = Yellow-colored engine coolant approved to Ford specification WSS-M97B57-A1 or WSS-M97B57-A2 (Motorcraft® Yellow Antifreeze/Coolant)

For more service information on using Motorcraft® Yellow Antifreeze/Coolant with/in place of Motorcraft® Orange Antifreeze/Coolant, please visit the [FCSD Chemicals and Lubricants U.S. Catalog](#).

Revised 10/1/2021

**Motorcraft**

Motorcraft® Engine Antifreeze/Coolants - Usage Chart (Model Years prior to 2018)

Vehicle	Model Year(s)									
	Pre-1999	1999-2001	2002	2003	2004-2008	2009	2010	2011	2012	2013-2017
FORD										
C-MAX Hybrid	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	DY / O
Crown Victoria	G	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	N/A	N/A
Econoline (E-Series)	G	G	G (prior to 1/7/02) Y (from 1/7/02)	Y	Y	Y	Y	Y	Y	Y (2013 - 2016 and 2017 prior to 6/24/16) DY / O (2017 from 7/11/16)
Edge	N/A	N/A	N/A	N/A	Y	Y (prior to 1/19/09) DY / DG (from 1/19/09)	DY / DG	DY / DG (prior to 7/11/11) DY / O (from 7/11/11)	DY / O	DY / O
Escape (including Hybrid)	N/A	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	Y (prior to 11/16/10) DY / O (from 11/16/10)	DY / O	DY / O
Escort	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	N/A	N/A	N/A	N/A	N/A	N/A
Excursion	N/A	G	Y	Y	Y	N/A	N/A	N/A	N/A	N/A
Expedition	G	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y (prior to 2/22/10) DY / O (from 2/22/10)	DY / O	DY / O	DY / O
Explorer, Explorer Sport, and Explorer Sport Trac	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	DY / DG (prior to 7/11/11) DY / O (from 7/11/11)	DY / O	DY / O
F-150 - F-550 (Cuautitlan Plant)	G	G	G (prior to 2/4/02) Y (from 2/4/02)	Y	Y	Y	N/A	N/A	N/A	N/A
F-250 - F-550 (Kentucky Truck Plant)	G	G	Y	Y	Y	Y	Y	DY / O	DY / O	DY / O
F-150 - F-550 (All other plants)	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	DY / O	DY / O	DY / O
Fiesta	N/A	N/A	N/A	N/A	N/A	N/A	N/A	DY / O	DY / O	DY / O
Flex	N/A	N/A	N/A	N/A	N/A	Y (prior to 1/19/09) DY / DG (from 1/19/09)	DY / DG	DY / DG	DY / DG (prior to 7/11/11) DY / O (from 7/11/11)	DY / O
Freestar	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A
Focus (including RS)	N/A	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	Y	DY / O	DY / O
Focus Electric	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	DY / O	DY / O
Fusion (including Hybrid)	N/A	N/A	N/A	N/A	Y	Y	Y (prior to 7/6/09) DY / DG (from 7/6/09)	DY / DG	DY / DG (prior to 8/15/11) DY / O (from 8/15/11)	DY / O
Motorhome F-53 / F-59	G	G	Y	Y	Y	Y	Y	Y	Y	Y (2013 - 2014) DY / O (2015 - 2017)
Mustang (including Cobra, Shelby GT500, Boss 302, etc.)	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	DY / O	DY / O	DY / O
Ranger	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	Y	N/A	N/A
Ranger Electric	N/A	G	G	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Taurus	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y (prior to 5/18/09) DY / DG (from 5/18/09)	DY / DG	DY / DG (prior to 7/11/11) DY / O (from 7/11/11)	DY / O	DY / O
Thunderbird	N/A	N/A	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	N/A	N/A	N/A	N/A	N/A
Transit Connect	N/A	N/A	N/A	N/A	N/A	N/A	DY / O	DY / O	DY / O	DY / O
Windstar	G	G	G	G (prior to 7/15/02) Y (from 7/15/02)	N/A	N/A	N/A	N/A	N/A	N/A
All other vehicles not otherwise noted	G	G	N/A	N/A	Y	Y	N/A	N/A	N/A	DY / O

Revised 10/1/2021

**Motorcraft**

Motorcraft® Engine Antifreeze/Coolants - Usage Chart (Model Years prior to 2018)

Vehicle	Model Year(s)									
	Pre-1999	1999-2001	2002	2003	2004-2008	2009	2010	2011	2012	2013-2017
LINCOLN										
Aviator	N/A	N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A
Blackwood	N/A	N/A	G (prior to 7/15/02) Y (from 7/15/02)	Y	N/A	N/A	N/A	N/A	N/A	N/A
Continental	G	G	G (prior to 7/15/02) Y (from 7/15/02)	N/A	N/A	N/A	N/A	N/A	N/A	DY / O (2017)
LS	N/A	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	N/A	N/A	N/A	N/A	N/A
MKS	N/A	N/A	N/A	N/A	N/A	Y (prior to 5/18/09) DY / DG (from 5/18/09)	Y (prior to 5/18/09) DY / DG (from 5/18/09)	DY / DG (prior to 7/11/11) DY / O (from 7/11/11)	DY / O	DY / O
MKT	N/A	N/A	N/A	N/A	N/A	N/A	DY / DG	DY / DG	DY / DG (prior to 7/11/11) DY / O (from 7/11/11)	DY / O
MKX	N/A	N/A	N/A	N/A	Y	Y (prior to 1/19/09) DY / DG (from 1/19/09)	DY / DG	DY / DG (prior to 7/11/11) DY / O (from 7/11/11)	DY / O	DY / O
MKZ (including Hybrid)	N/A	N/A	N/A	N/A	Y	Y	Y (prior to 7/6/09) DY / DG (from 7/6/09)	DY / DG	DY / DG (prior to 8/15/11) DY / O (from 8/15/11)	DY / O
Navigator	G	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y (prior to 2/22/10) DY / O (from 2/22/10)	DY / O	DY / O	DY / O
Town Car	G	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	N/A	N/A
All other vehicles not otherwise noted	G	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A	DY / O
MERCURY										
Cougar	G	DY / O	DY / O	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Grand Marquis	G	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	N/A	N/A
Marauder	N/A	N/A	N/A	G (prior to 7/15/02) Y (from 7/15/02)	Y	N/A	N/A	N/A	N/A	N/A
Mariner (including Hybrid)	N/A	N/A	N/A	N/A	Y	Y	Y	Y (prior to 11/16/10) DY / O (from 11/16/10)	N/A	N/A
Milan (including Hybrid)	N/A	N/A	N/A	N/A	Y	Y	Y (prior to 7/6/09) DY / DG (from 7/6/09)	DY / DG	N/A	N/A
Monterey	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A
Mountaineer	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y	Y	N/A	N/A	N/A
Sable	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Y	Y (prior to 5/18/09) DY / DG (from 5/18/09)	N/A	N/A	N/A	N/A
All other vehicles not otherwise noted	G	G	G	N/A	Y	N/A	N/A	N/A	N/A	N/A

Notes:

The engine antifreeze/coolant usage noted in the chart above applies to all engine types (e.g., gasoline and diesel) available for a particular vehicle.

G = Green-colored engine coolant approved to Ford specification ESE-M97B44-A (Motorcraft® Premium Antifreeze/Coolant)

DY / O = Either yellow-colored engine coolant approved to Ford specification WSS-M97B57-A1 or WSS-M97B57-A2 (Motorcraft® Yellow Antifreeze/Coolant), orange-colored engine coolant approved to Ford specification WSS-M97B44-D or WSS-M97B44-D2 (Motorcraft® Orange Antifreeze/Coolant), or a combination of both engine coolants

Y = Yellow-colored engine coolant approved to Ford specification WSS-M97B51-A1 (Motorcraft® Gold Antifreeze/Coolant)

DY / DG = Either yellow-colored engine coolant approved to Ford specification WSS-M97B57-A1 or WSS-M97B57-A2 (Motorcraft® Yellow Antifreeze/Coolant), dark green-colored engine coolant approved to Ford specification WSS-M97B55-A (Motorcraft® Specialty Green Engine Coolant), or a combination of both engine coolants

For more service information on using Motorcraft® Yellow Antifreeze/Coolant with/in place of Motorcraft® Orange Antifreeze/Coolant and Motorcraft® Specialty Green Engine Coolant, please visit the [FCSD Chemicals and Lubricants U.S. Catalog](#).

Revised 10/1/2021

Quick Reference Charts

**Motorcraft****Motorcraft® Engine Cooling System Products - Usage Information**

Motorcraft® Engine Coolant Name	Motorcraft® Premium Prediluted Antifreeze/Coolant (USA)	Motorcraft® Gold Prediluted Antifreeze/Coolant	Motorcraft® Specialty Green Engine Coolant (Concentrated)	Motorcraft® Orange Prediluted Antifreeze/Coolant	Motorcraft® Yellow Prediluted Antifreeze/Coolant
	Motorcraft® Premium Concentrated Antifreeze/Coolant	Motorcraft® Gold Concentrated Antifreeze/Coolant		Motorcraft® Orange Concentrated Antifreeze/Coolant	Motorcraft® Yellow Concentrated Antifreeze/Coolant
Service Part Numbers	Prediluted: VC-5DIL (USA)	Prediluted: VC-7DIL-B and VC-7DIL-D (USA) CVC-7DIL-B2 (Canada)	VC-10-A2 (USA) / CVC-10-A (Canada)	Prediluted: VC-3DIL-B and VC-3DIL-BD (USA) CVC-3DIL-B (Canada)	Prediluted: VC-13DL-G (USA) CVC-13DL-G and CVC-13DL-P (Canada)
	Concentrated: VC-5 (USA) CVC-5 (Canada)	Concentrated: VC-7-B and VC-7-D (USA) CVC-7-B2 (Canada)		Concentrated: VC-3-B and VC-3-D (USA) CVC-3-B2 (Canada)	Concentrated: VC-13-G (USA) CVC-13-G and CVC-13-P (Canada)
Ford Specification	ESE-M97B44-A	WSS-M97B51-A1	WSS-M97B55-A	Prediluted: WSS-M97B44-D2 Concentrated: WSS-M97B44-D	Prediluted: WSS-M97B57-A2 Concentrated: WSS-M97B57-A1
Use with the following products:					
Acustrip® 3-Way HD Antifreeze Coolant Test Kit, Rotunda part numbers 328-2050-62291 and 328-20503R	Yes, but for use <i>only</i> with diesel engine-equipped vehicles	Yes, but for use <i>only</i> with diesel engine-equipped vehicles	No	Yes, but use <i>only</i> as recommended to check coolant for nitrite contamination	Yes, but use <i>only</i> as recommended to check coolant for nitrite contamination
Corrosion Protection (Test Kits) for Extended Life Coolant (ELC), Rotunda part number 328-R071-ELC	No	No	No	Yes, but for use <i>only</i> with the following vehicles: * 2011 - 2019 (built prior to 7/9/18) diesel engine-equipped F-Series Super Duty * 2016 - 2019 (built prior to 7/16/18) diesel engine-equipped F-650 and F-750	Yes, but <i>only</i> when mixed with Motorcraft® Orange Antifreeze/Coolant with the following vehicles: * 2011 - 2019 (built prior to 7/9/18) diesel engine-equipped F-Series Super Duty * 2016 - 2019 (built prior to 7/16/18) diesel engine-equipped F-650 and F-750
VC-1 - Motorcraft® Premium Cooling System Flush	Yes	Yes	Yes	Yes	Yes
VC-8 - Motorcraft® Diesel Cooling System Additive	Yes, but use <i>only</i> in diesel engine-equipped vehicles. Use <i>only</i> as recommended.	Yes, but use <i>only</i> in diesel engine-equipped vehicles. Use <i>only</i> as recommended.	No	No	No
VC-9 - Motorcraft® Engine Cooling System Iron Cleaner (for industrial use <i>only</i>)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)
VC-12 - Motorcraft® Specialty Orange Engine Coolant Revitalizer	No	No	No	Yes, but for use <i>only</i> with the following vehicles: * 2011 - 2019 (built prior to 7/9/18) diesel engine-equipped F-Series Super Duty * 2016 - 2019 (built prior to 7/16/18) diesel engine-equipped F-650 and F-750 Use <i>only</i> as recommended	Yes, but <i>only</i> when mixed with Motorcraft® Orange Antifreeze/Coolant with the following vehicles: * 2011 - 2019 (built prior to 7/9/18) diesel engine-equipped F-Series Super Duty * 2016 - 2019 (built prior to 7/16/18) diesel engine-equipped F-650 and F-750 Use <i>only</i> as recommended

Revised 10/1/2021

Quick Reference Charts